

MATERIAL SAFETY DATA SHEET

This MSDS complies with OSHA'S Hazard Communication Standard 29 CFR 1910.1200 and OSHA Form 174

| IDENTITY AND MANUFACTURER'S INFORMATION | |
|---|---|
| NFPA Rating: Health-1; Flammability-3; Reactivity-0; Special-0 Manufacturer's Name: AMREP, INC. Address: 990 Industrial Park Drive Marietta, GA 30062 | HMIS Rating: Health-1; Flammability-3; Reactivity-0; Personal Protection-B DOT Hazard Classification: ORM-D Identity (trade name as used on label): MISTY DRY DEODORIZERS SEASONAL HOLIDAY POTPOURRI (Metered) |
| Date Prepared: 06/15/05 Prepared By: TR | MSDS Number: A00209 HP Revision: 5 |
| Information Calls: (770)422-2071 EMERGENCY RESPONSE NUMBER: 1(800)255-3924 | NOTICE: JUDGEMENT BASED ON INDIRECT TEST DATA |

SECTION 1 - MATERIAL IDENTIFICATION AND INFORMATION

| COMPONENTS-CHEMICAL NAMES AND COMMON NAMES (Hazardous Components 1% or greater; Carcinogens 0.1% or greater) | CAS Number | SARA III LIST | OSHA PEL (ppm) | ACGIH TLV (ppm) | Carcinogen Ref. Source ** |
|---|------------|------------------|-------------------|--------------------|------------------------------|
| ACETONE | 67-64-1 | No | 1000 | 750 | d |
| ISOBUTANE / PROPANE BLEND | 75-28-5 | No | 800 | 800 | d |
| | 74-98-6 | No | 1000 | 1000 | d |
| | | | | | |
| | | | | | |

SECTION 2 - PHYSICAL/CHEMICAL CHARACTERISTICS

| | |
|--|--|
| Boiling Point: N/A | Specific Gravity (H2O=1): Concentrate Only = < 1 |
| Vapor Pressure: PSIG @ 70°F (Aerosols): 70 | Vapor Pressure (Non-Aerosols)(mm Hg and Temperature): N/A |
| Vapor Density (Air = 1): N/E | Evaporation Rate (= 1): N/E |
| Solubility in Water: Soluble | Water Reactive: No |
| Appearance and Odor: Clear liquid with fragrance. | |

SECTION 3 - FIRE AND EXPLOSION HAZARD DATA

| | | |
|---|---|---|
| FLAMMABILITY as per USA FLAME PROJECTION TEST (aerosols) NON-FLAMMABLE | Auto Ignition Temperature N/E | Flammability Limits in Air by % in Volume: % LEL: N/E % UEL: N/E |
| FLASH POINT AND METHOD USED (non-aerosols): N/A | SPECIAL FIRE FIGHTING PROCEDURES: Provide shielding for personnel. Wear self-contained breathing apparatus. Cool containers with water fog to prevent rupturing & spewing. | |
| EXTINGUISHER MEDIA: Foam, dry chemical, carbon dioxide, water. | | |
| Unusual Fire & Explosion Hazards: Do not expose aerosols to temperatures above 130°F or the container may rupture. | | |

SECTION 4 - REACTIVITY HAZARD DATA

| | |
|---|---|
| STABILITY [X] STABLE [] UNSTABLE | HAZARDOUS POLYMERIZATION [] WILL [X] WILL NOT OCCUR |
| Incompatibility (Mat. to avoid): Alkalis, oxidizing materials, amines. | Conditions to Avoid: Open flame, welding arcs, heat. |
| Hazardous Decomposition Products: CO, CO2. | |

SECTION 5 - HEALTH HAZARD DATA

| | |
|--|---|
| PRIMARY ROUTES OF ENTRY: [X] INHALATION [] INGESTION [] SKIN ABSORPTION [] EYE [] NOT HAZARDOUS | |
| ACUTE EFFECTS Vapor concentrations around 1000 ppm may cause slight transient irritation to the upper respiratory tract. | |
| Inhalation: Excessive inhalation of vapors can be harmful and may cause headache, dizziness, asphyxia, anesthetic effects and possible unconsciousness. | |
| Eye Contact: Irritation. | Skin Contact: May cause slight irritation. |
| Ingestion: Possible chemical pneumonitis if aspirated into lungs. Nausea. | |
| CHRONIC EFFECTS: (Effects due to excessive exposure to the raw materials of this mixture) May cause mucous membrane irritation, overnight headache, and general weakness. | |
| Medical Conditions Generally Aggravated by Exposure: May aggravate existing eye, skin, or upper respiratory conditions. | |

EMERGENCY FIRST AID PROCEDURES

| |
|--|
| Eye Contact: Flush with water for 15 minutes. If irritated, seek medical attention. |
| Skin Contact: Wash with soap and water. If irritated, seek medical attention. |
| Inhalation: Remove to fresh air. Resuscitate if necessary. Get medical attention. |
| Ingestion: DO NOT INDUCE VOMITING. Drink two large glasses of water. Get immediate medical attention. |

SECTION 6 - CONTROL AND PROTECTIVE MEASURES

| | |
|---|--|
| Respiratory Protection (specify type): If vapor concentration exceeds TLV, use respirator approved by NIOSH for organic vapor. | |
| Protective Gloves: Latex, if skin easily irritated. | Eye Protection: Safety glasses recommended. |
| Ventilation Requirements: Adequate ventilation to keep vapor concentration below TLV. | |
| Other Protective Clothing & Equipment: None | |
| Hygienic Work Practices: Wash with soap and water before handling food. Remove contaminated clothing. | |

SECTION 7 - PRECAUTIONS FOR SAFE HANDLING AND USE

| |
|---|
| Steps To Be Taken If Material Is Spilled Or Released: Absorb with suitable medium. Incinerate or landfill according to local, state or federal regulations. DO NOT FLUSH TO SEWER. |
| Waste Disposal Methods: Aerosol cans when vented to atmospheric pressure through normal use, pose no disposal hazard. |
| Precautions To Be Taken In Handling & Storage: Do not puncture or incinerate containers. Do not store at temperatures above 130°F. |
| Other Precautions &/or Special Hazards: KEEP OUT OF REACH OF CHILDREN. Avoid food contamination. Avoid breathing vapors. Remove ignition sources. |

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind.

** Chemical Listed as Carcinogen or Potential Carcinogen. [a] NTP [b] IARC Monograph [c] OSHA [d] Not Listed [e] Animal Data Only